



***TOOLS***<sup>TM</sup>

# **BUYTRONICS**

**DISTRIBUTION**

**6737 San Fernando Rd. Glendale. CA, 91201**

**Tel: 818.696.2100 - Email: [Sales@BuytronicsDistribution.com](mailto:Sales@BuytronicsDistribution.com)**

**[www.BuytronicsDistribution.com](http://www.BuytronicsDistribution.com)**

# TABLE OF CONTENT

<b>Staple Guns</b>	<b>4</b>
<b>Mini Air Tools</b>	<b>5</b>
<b>Air Tools</b>	<b>6</b>
<b>Hole Saws, Drill Bits, Step Drills</b>	<b>7</b>
<b>Wire Cutters, Crimpers &amp; Strippers</b>	<b>8-11</b>
<b>Aviation Snips</b>	<b>12</b>
<b>Shears</b>	<b>13</b>
<b>Fiber Glass Tools</b>	<b>14</b>
<b>Brushes, Rollers</b>	<b>15</b>
<b>File Sets</b>	<b>16</b>
<b>Soldering-Torch-Heat Gun, Glue Gun, Caulking Gun</b>	<b>17</b>
<b>Buffing Wheels</b>	<b>18</b>
<b>Hex Keys</b>	<b>19</b>
<b>Window &amp; Door Clip Remover, Door Panel Fastener Remover Tape Measure, Screw Drivers, Drill Bit, Pry &amp; Chisel Tools</b>	<b>20</b>
<b>Radio Removal Keys</b>	<b>21</b>
<b>Safety Glasses and Respirators</b>	<b>22</b>


# STAPLE GUNS

## Upholstery Air Stapler


### US-2258

Air Upholstery Stapler 22 gauge  
Leg Length 3/8" to 5/8"  
Magazine Capacity 156  
Pressure Range 70 to 100 psi  
Firing Mode Automatic  
Swivel Connector



 **1/4" – 5/8" (6mm – 16mm)**  
Crown: 3/8" (9mm)  
22 Gauge 0.03" X 0.0215" (0.76mm X 0.55mm)



 **3/4" – 2" (20mm – 50mm)**  
18 Gauge 0.05" X 0.039" (1.25mm X 1.00mm)

## Brad Air Nailer

### BN-182

Drives a range of 18 gauge brad nails, from 5/8" to 2", into hard or soft wood applications; magazine application is up to 100 nails.

Quick release cam-lock opens nail guide assembly to easily clear jammed nails; efficient design minimizes downtime

Easy to use "tool-less" depth adjustment dial for a wide variety of finish applications

Non-marring rubber nose and bumpers protect the wood's surface from being scratched or damaged

Tool hook can be rotated 180° and attached on either left or right side so tool can remain close by, but never in the way

Multi-directional exhaust port rotates 360° to direct exhaust air away from user. Rubber covered hand grip for non-slip, comfortable contact


Swivel Connector

## Narrow Crown Air Stapler

### NCS-158

Air Finishing Stapler, Narrow Crown  
Leg Length 1/2 to 1-5/8"  
18 gauge  
Magazine Capacity 100  
CFM per Shot 0.047  
Pressure Range 70 to 120 psi  
Swivel Connector



 **5/8" – 1-9/16" (16mm – 40mm)**  
Crown: 1/4" (5.7mm)  
18 Gauge 0.05" X 0.039" (1.25mm X 1.00mm)



## 1/4" Mini Angle Die Grinder

### MAG-14

1/4" Mini Air Angle Die Grinder

Collect Size: 6mm or 1/4"  
Free Speed: 22,000rpm  
Motor: 0.3hp  
Air Inlet: 1/4"  
Length 120mm  
Swivel Connector



## 2" Mini Angle Grinder

### MG-2

2" Mini Air Angle Grinder

Grinding Wheel Size: 2"  
Free Speed: 22,000rpm  
Motor: 0.3hp  
Air Inlet: 1/4"  
Length 120mm  
Swivel Connector



## 2" Mini Angle Sander

### MAS-2

2" Mini Air Angle Sander

Pad Size: 2"  
Free Speed: 22,000rpm  
Motor: 0.3hp  
Air Inlet: 1/4"  
Length 120mm  
Swivel Connector



## Mini Air Ratchet

### MSR-38

3/8" Mini Air Ratchet Wrench/Screw Driver

Torque: 20ft-lb  
Ratchet Anvil: 3/8"  
Screwdriver Shank: 1/4"  
Free Speed: 280rpm  
Air Inlet: 1/4"  
Length 140mm  
Swivel Connector



## Mini Air Grinder

### MSDG-14

1/4" Mini Straight Air Die Grinder

Collect Size: 6mm or 1/4"  
Free Speed: 30,000rpm  
Motor: 0.3hp  
Air Inlet: 1/4"  
Length 120mm  
Swivel Connector



## Reciprocating Air Body Saw

### LVBS-1

Low Vibration & Low Noise Air Body Saw

- Stroke: 3/8" (10mm)
- Speed: 10,000rpm
- Cutting Capacity: 2mm Steel Sheet
- Vibration: 3 m/s<sup>2</sup>
- Total Length 260mm
- 2.5 Average CFM @ 15 Second Run Time, 9.0 CFM @ Full Load
- Required Pressure 90 psi
- Air Inlet 1/4 In. NPT
- Min. Hose Size 3/8 In.
- Housing Material Aluminum
- Lock Off Lever Throttle
- No Variable Speed
- Cuts Flat and Curved Surfaces
- High Speed Steel Cutting Blade



4" EXTENSION NOZZLE



## Air Blow Gun

### TABG-2

Turbo Venturi Pistol Grip Blow Gun features a Venturi nozzle that makes it ideal for cleaning debris from a work space, drying wet surfaces, blowing up balloons and more.

The pistol grip trigger provides a nonslip surface for ease of use and helps you control the precise amount of airflow at the tip.

With Swivel Connector.

## Narrow Crown Staples


Collation Type Adhesive, Chisel Point Type, Smooth Shank, Steel, Galvanized Finish



X SNC1834	3/4" Length	1/4" Crown	18ga.	2,500pcs
X SNC18100	1" Length	1/4" Crown	18ga.	2,500pcs
X SNC18118	1 1/8" Length	1/4" Crown	18ga.	2,500pcs
X SNC18114	1 1/4" Length	1/4" Crown	18ga.	2,500pcs
X SNC18112	1 1/2" Length	1/4" Crown	18ga.	2,500pcs

## Brad Nails


T-Shape Head Style, Collation Type Adhesive, Chisel Point Type, Smooth Shank, Steel, Galvanized Finish



X SBN1834	3/4" Length		18ga.	5,000pcs
X SBN1858	5/8" Length		18ga.	5,000pcs
X SBN18100	1" Length		18ga.	5,000pcs
X SBN18118	1 1/8" Length		18ga.	5,000pcs
X SBN18114	1 1/4" Length		18ga.	5,000pcs
X SBN16112	1 1/2" Length	Galvanized Finish Nails	16ga.	2,500pcs
X SBN16200	2 Length	Galvanized Finish Nails	16ga.	2,500pcs

## Staples

71 Series Collated Staple, Chisel Point type, Steel, Galvanized Finish



X S-7118 (71 Series)	1/8" Length	3/8" Crown	22ga.	10,000pcs
X S-7114 (71 Series)	1/4" Length	3/8" Crown	22ga.	10,000pcs
X S-7138 (71 Series)	3/8" Length	3/8" Crown	22ga.	10,000pcs
X S-7112 (71 Series)	1/2" Length	3/8" Crown	22ga.	10,000pcs
X S-7158 (71 Series)	5/8" Length	3/8" Crown	22ga.	10,000pcs

# HOLE SAWS



## Hole Saw Set

### HSS-14

14pc M42 Material Hole Saw Set

- 11pcs Hole Saw: 3/4" (19mm) - 3" (76mm)
- 2pcs Arbors: 3/8" Hex, fit 14-30mm  
7/16" Hex, fit 32-216mm
- 1pc Adapter: 1/2" - 20 UNF

Unique tooth design/set pattern for improved metal cutting performance and increased durability.

Improved backing plate prevents warping at holes and increases cycles.

Includes 3/4", 7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/4", 2-1/2"



# DRILL BITS



## 21pcs Drill Bit Set

### TDB-21

21pcs Titanium Finish Drill Bits, M2 HSS Material

- Bit Range: 1/16" - 3/8"
- Tip Type: Double Conoid TW Angle
- Shank: Over 3/16" with three flat shanks

# STEP DRILLS

## Step Drills

M2 HSS STEP DRILL STRAIGHT FLUTE  
THREE-FLATTED SHANK, TIN COATED

### SD18-12

1/8" - 1/2" - 13 Position Titanium Step Drill, 1/4" Shank, M2 HSS Material

### SD14-34

1/4" - 3/4" - 9 Position Titanium Step Drill, 3/8" Shank, M2 HSS Material

### SD916-1

9/16" - 1" - 8 Position Titanium Step Drill, 3/8" Shank, M2 HSS Material



# WIRE CRIMPERS, CUTTERS & STRIPPERS



## Telephone & Data Crimper, Stripper & Cutter

### TCSC-68

Cat3, Cat5e, Cat6

All-in-one crimper for WE/SS-style data and phone cable provides multi-function cutting, stripping and crimping

Crimps RJ45, RJ11/12 and RJ22 handset plugs; cuts and strips round UTP/STP phone and data cable

Advanced ratchet mechanism with emergency release for effortless terminations

Ergonomic handle for reliable grip and all-day comfort

## Quick Wire Stripper, Crimper & Cutter

### QWS-108

Strips & cuts 10-24 AWG (2.6-0.51mm) wire, crimper 10-22 AWG (2.6-0.64mm).

Compound-action tool crimps 10-22 AWG insulated terminals to meet or exceed MIL-SPEC pull-out tests.

Built-in ratchet with safety release assures uniform crimps every time.

Compound lever-action of narrow-span handles puts more crimping power into each squeeze.

Special locator quickly positions terminal for double crimp.

Comfort-grip plastic handles



## Quick Wire Stripper & Cutter

### QWSC-104

Strips 10-24 AWG (2.6-0.51mm) & cuts 24-14 AWG (0.5-1.6mm) wire

Automatically adjusts to wire size.

Easily strips insulation from 10-24 AWG soft wire.

Simply insert amount of wire to be stripped and squeeze handle.

## Automatic Wire Stripper

### AWS-106

Strips 10-18 AWG (2.6-1.02mm) wire

Compound action wire stripping: grip and strip via single action squeezing motion.

Precision machined stripping holes easily remove jacket insulation without damaging the wire.

Remove up to 1" (24 mm) in length of the insulation layer (jacket layer) in a single step.

Tension loaded wire-grip gently holds the wire in place while retaining the cable geometry.

Recoil spring design returns tool to ready position upon cycle completion.

Cast alloy chassis with heavy-duty Ecoat finish for corrosion resistance and durability.





## HD Cable Cutter & Stripper

### CC-06WS

Heavy Duty Electrical Wire & Cable Cutter/Stripper

Cuts any thickness wire up to 1/0 AWG

Strips any wire from 8 to 14 AWG

Curved blade cuts wire up to 8.25mm

Innovative patented design provides greater cutting power and the option for easy repetitive cutting.

Unique design can be used to cut thicker wire using a repetitive cutting process.

Forged from heavy duty Chrome Vanadium steel for greater strength.



## Heavy Duty Cable Cutter

### CC-06

Cuts any thickness wire upto 1/0 AWG (10mm with side knife strip upto 8 AWG)

Innovative patented design provides greater cutting power and the option for easy repetitive cutting.

Unique design can be used to cut thicker wire using a repetitive cutting process.

Compact size is convenient to carry and use in confined work areas.

High transmission ratio results in less strain on hand muscles and reduces hand fatigue.

Forged from heavy duty Chrome Vanadium steel for greater strength.



## Mini Cable Cutter

### MCC-5

Cuts 4-24 AWG (5.19-0.5mm) wire.

Angular offset cutting blades provide a clean cut of coated or uncoated wire rope and steel cable. Will not crush or damage wire ends.

Internal spring mechanism opens the tools in the hand and makes repetitive cutting much easier.

Forged from oil-hardened chrome vanadium electric steel for greater strength and lighter weight.



## Flush Mini Cutter

### FMC-5

Cuts Copper, Metal & Hard Plastic.

Micro-Shear Wire Cutter/ Flush Cut.

These micro-shear flush cutters give you a way to cut leads very cleanly and close to the solder joint.

# WIRE CUTTERS & STRIPPERS



## Adjustable Stripper & Cutter

### AWSC-105

Strips & cuts 10-24 AWG (2.6-0.51mm) wire  
A handy, light, compact tool for stripping insulation.  
Convenient hole for looping or bending wire.  
Cuts, strips, and loops 10-24 solid and stranded wire.



## Wire Stripper & Cutter

### WSC-106

Cuts & strips 10-20 AWG (2.6-0.812mm) wire  
Cuts, strips, loops and bends stranded wire.  
Shear-type cutting blades for clean cuts.  
Spring-loaded action for self-opening.  
Comfortable, plastic-covered handles.



## Wire Stripper & Cutter

### WSC-107C

Cuts & strips 10-20 AWG (2.6-0.812mm) wire  
Precision shear-type blades for clean cuts on solid and stranded copper wire.  
Easy-to-read markings on both sides.  
Curved handles help reach into confined areas.  
Wire looping and bending holes.  
Coil spring provides fast self-opening action.  
Precision-ground stripping holes.  
Strong-gripping serrated nose; for easy bending, shaping, and pulling of wire.  
Screw-shearing holes.  
Handy closure lock for convenient storage.  
Double-dipped comfort grips.



## Mini Wire Stripper

### MWS-105

Strips 10-22 AWG (2.6-0.644mm) wire  
stripping slots quickly remove outer jacket of Type NM-B non-metallic-sheathed cable.  
Precision staggered blades for square, clean cuts on solid copper wire.  
Narrow nose fits into tight places.  
Precision shear-type blades for square, clean cuts on solid copper wire.  
Curved handles help reach into confined areas.  
Strong-gripping serrated nose; for easy bending, shaping and pulling of wire.  
Wire looping and bending holes.  
Screw-shearing holes.  
Coil spring provides fast self-opening action.  
Handy closure lock for convenient storage.  
Double-dipped comfort grips.



## Mini Crimper

### MC-5

Crimps 10-22 AWG (2.6-0.644mm) insulated terminal.

Angular offset provides a clean crimp every time.

Internal spring mechanism opens the tools in the hand and makes repetitive crimping much easier.

Forged from oil-hardened chrome vanadium electric steel for greater strength and lighter weight.



## Cable Tie Gun

### CTG-6

Tightens & cuts Nylon cable tie 0.09"-0.18" (2.2-4.8mm)

This lightweight tool efficiently tightens and trims cable ties for neat, clean-looking installations.

These ergonomic cable tie guns increase production, and cut ties flush to eliminate sharp edges.



## Crimping Tools

### MGCT - 24

24" Heavy Duty Multi-Guage Crimping Tools  
Crimps 8-4/0 AWG (10-120mm)

- Features Ident Crimping
- Longer handles minimise the effort required to produce a perfect crimp
- Crimp size easily selected using screw adjustment



# AVATION SNIPS

- Meets and Exceeds Federal Specifications ANSI/ASME, B107.16 and German Standard DIN6438/11.71
- Cuts all Sheet Metal up to 16 Gauge Cold-Rolled Sheet Metal & 20 Gauge Stainless-Steel Metal.
- 3 Cutting Patterns
- Drop Forged Chrome-Molybdenum Alloy Steel Blades
- Serated Edge Blades, Induction Hardened



**Left Snip**



**ATS-L**  
Aviation Tin Snips (left)



**Sraight Snip**



**ATS-S**  
Aviation Tin Snips (Straight)



**Right Snip**



**ATS-R**  
Aviation Tin Snips (right)

# SHEARS



- 4mm SUS 4202 Japanese Stainless Steel
- Precision-Ground and Hardened for Lasting
- One Blade serrated for Material Control

- Soft Mold Non-Slip Comfort Ergonomic Grips
- Adjustable to Fit Hand
- Patent Pending Handel Design for Left and Right-handed users.



## 8" Heavy-Duty Shears

### HDS-8

8" Heavy Duty Stainless Steel Shears with Wire Cutting Notch

## 8" Heavy-Duty Angled Shears

### HDS-8A

8" Heavy Duty Angled Shears with Wire Cutting Notch



## Kevlar Shears

### KS-8

8" HD Utility/Kevlar Shears (Serrated Blade)

- Right & Left Handed Design Patent
- Cutting Length 2-1/2"
- Handle Type Bent w/Large Bottom Bow

## 8" PRO Stainless-Steel Shears

### SCS-8

8" Professional Grade Stainless Steel Shears



## 5" Stainless-Steel Shears

### SCS-5

5" Stainless Steel Shears




# FIBER GLASS TOOLS



**1/2" Plastic Roller**

**FPR-12.3**  
1/2" x 3" Fiberglass Plastic Roller




**Fine Roller**

**FFR-12.3**  
1/2" x 3" Fiberglass Fine Roller



**3/4" Plastic Roller**

**FPR-34.3**  
3/4" x 3" Fiberglass Plastic Roller




**Bristle Roller**

**FBR-12.3**  
1" x 3" Fiberglass Bristle Roller



**1" Plastic Roller**

**FPR-1.3**  
1" x 3" Fiberglass Plastic Roller



**Corner Roller**

**FCR-112**  
1 1/2" Fiberglass Corner Roller

## Shaver Set

**FGST5**

5pc compact and light weight molded body works on the pull stroke for efficiency and ease of use.



# ROLLERS



## Rattle Block Rollers (PU)

**RBR-1P**  
1" Roller

**RBR-2P**  
2" Roller

### RATTLE BLOCK HEAVY DUTY SOLID PU ROLLER

- Solid rubber roller that will not scratch surface
- Thick, plated steel frame
- Contoured handle
- Water and rust resistant
- Designed for applying Rattle Block to get the strongest bond possible. Additionally, the roller will help adhere any mounted or glued material.



## Rattle Block Roller (Rubber)

**RBR-6P**  
6" Rattle Block Heavy Duty Roller Tool

- Thick Plated Steel Frame
- 6" Rolling area making it the industries Largest and most effeciant

# BRUSHES



## Chip Brushes

**CB-1**  
1" Chip Brush

**CB-2**  
2" Chip Brush

**CB-4**  
4" Chip Brush

## Wire Brushes

**3B-NBS**  
3 Mini Wire Brushes  
Nylon, Brass & Stainless-Steel


Steel Wire Brush is a medium brush for general-purpose cleaning. It is also good for delicate or finish work and can be used to clean aluminum.




# FILE SETS




ROUND




SQUARE



FLAT



HALF-ROUND



HAND



## Bastard Cut File Set

### BSCF - 5

10" Bastard Cut 5pc File Set for All Purpose Professional use.

- Ergonomic handles for comfort use and control.
- Includes, 10" Round, 10" Square, 10" Flat, 10" Half-Round, and 10" Hand

## Second Cut File Set

### SCCF - 5

10" Second Cut 5pc File Set for All Purpose Professional use.

- Ergonomic handles for comfort use and control.
- Includes, 10" Round, 10" Square, 10" Flat, 10" Half-Round, and 10" Hand

## Smooth Cut File Set

### SMCF - 5

10" Smooth Cut 5pc File Set for All Purpose Professional use.

- Ergonomic handles for comfort use and control.
- Includes, 10" Round, 10" Square, 10" Flat, 10" Half-Round, and 10" Hand



# SOLDERING, TORCH & HEAT GUN



## Butane Powered Self-Igniting Multi-Functional Soldering Tool

### BPS13

Soldering Iron, Heat Gun and Blow Torch

- Standard Tip, 3mm Diagonal, 3.5mm Chisel, Hot Knife, Hot Blower, Reflector Tips are included.
- 480F to 1,000F
- 30 to 125Watts
- Temperature Controlled
- Refillable
- The 3-in-1 XScorpion Butane Blow Torch/ Soldering Iron/heat gun is lightweight, compact, easy to handle, and is great for a variety of jobs.
- The package features a continuous working lock, and child safety lock.
- Flow control knob makes for convenient operation, and comes with everything else you need to get started (minus butane gas).



# GLUE GUN



## Butane Gas Glue Gun with Automatic Temperature Control

### BGG-2

Hot Melt Butane-Gas Glue Gun

- Portable / cordless
- Hi-Tech PIEZO Electronic Self-ignition
- Easy to Re-fill
- Each Re-fill continuously use up to 2-3 hours
- Automatic Temperature Control  
Off ON 180deg (356F) - ON under 120deg (248F)
- Quick warm up Time in 2 to 3 minutes with and Impressive glue output of over 5-1/2 lbs./hour.

# CAULKING GUN

## Caulking Gun

### CG-9

Heavy-Duty Clauking Gun (Standard Tube)

- Use to caulk around trim giving you a clean air-tight seal
- Use with glue for all various types of wood working applications
- Swinging barrel design keeps the point flush at all times
- Built in paker in shaft
- Fits all standard size caulk and glue tubes



# BUFFING WHEELS



*Feature:*  
Both wheels feature a loose 40ply cotton construction with stitching around the arbor hole, but with looser construction toward the outer edge.



## 8" Buffing Wheel

### CSBW-8

8" x 1/2" x 5/8"  
Cotton stitch Mop

## 8" Buffing Wheel

### LFBW-8

8" x 40P x 5/8"  
Loosefold Border  
Flannel Polishing Mop

## 6" Buffing Wheel

### CSBW-6

6" x 1/2" x 5/8"  
Cotton stitch Mop

## 6" Buffing Wheel

### LFBW-6

6" x 40P x 5/8"  
Loosefold Border  
Flannel Polishing Mop

## SMC Buffers

### SPM-2

2 x 1/2" Shank Polishing Mop

### SPM-4

4 x 1/2" Shank Polishing Mop



## Cylinder Buffer

### CPM-1.5

1 1/2" Cylinder Polishing Mop



## Mushroom Buffers

### MPM-2.5

2 1/2" Mushroom Polishing Mop

### MPM-4.5

4 1/2" Mushroom Polishing Mop



## Taper Buffer

### TPM-2.2

2" x 2" Tapered Polishing Mop



## Compound

### PCR-2W

2 pounds ROUGH polishing compound (white) - specifically for Acrylic surfaces.

### PCF-2W

2 pounds FINE polishing compound (white) - specifically for Acrylic surfaces.

### PC-2R-2

2 pounds Buffing compound for Aluminum (red)



# HEX KEYS



## TX Star Hex Keys

### SKS-8TF

8pcs Trox Star Key Folding-Set  
T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40



## US (SAE) Hex Keys

### HKS-9UF

9pcs Hex Key Folding-Set  
5/64" - 3/32" - 7/64" - 1/8" - 9/64"  
5/32" - 3/16" - 7/32" - 1/4"



## Metric Hex Keys

### HKS-8MF

8pcs Hex Key Folding-Set  
1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8MM



## US (SAE) Hex Keys

### HKS-9UL

9pcs Hex Key Set (L-Shape)  
US (inches)  
5/64" - 3/32" - 1/8" - 5/32"  
3/16" - 7/32" - 1/4" - 5/16" - 3/8"



## Metric Hex Keys

### HKS-9ML

9pcs Hex Key Set (L-Shape)  
Metric  
1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10MM

## 20pcs Hex Key Set

### HKS-20MU

20pcs Hex Key Set (L-Shape)

Metric (MM)

1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10

Imperial (inches)

1/16" - 5/64" - 3/32" - 1/8" - 5/32"  
3/16" - 7/32" - 1/4" - 5/16" - 3/8"



# CLIP & FASTENER REMOVERS, PRYS & CHISELS



## Window & Door Clip Remover

### WDCR2

Removes and installs door handel and window crank clips. Works on GM, Ford and others, using "C-Type" clips



## Tape Measure

### TM16

Self Lock Tape Measure  
16FT (5 Meters) x 3/4" (19mm)

## Philip Screw-driver Bit. PH2

Torsion Bit with Magnetic Tip

### PTB-1

1 inch

### PTB-2

2 inch



## Screw Driver

Highly Alloyed CRV Material with Oil Slip Resistance Handle and Magnetized Tip.

### PSD246

#2 Philips, 4 Inch (102mm) long, 6mm thickness, Satin Finish.

### PSD266

#2 Philips, 6 Inch (152mm) long, 6mm thickness, Satin Finish.

## Door Panel Fastener Remover

### DPFR6

Removes door panel, plastic fastener, CRV Hardner material with oil & slip resistance handel.



## Pry & Chisel Tool

Door Panel, Gasket, Dash Kit, Trim Removal and Chisel Set (9 pcs)

### PCT9

Durable Nylon Plastic (Dark Blue)  
Hard set- This kit is designed to satisfy any and every installers needs. Always have the proper tool for any type of job.

### PCT9S

Sylacone Type Plastic (Clear)  
Soft set- The soft set is made specifically for high-end vehicle, eliminating the possibility of scratches and chips.

#### Applications:

- Automotive Interior & Exterior
- Stereo Installation
- Dash & Trim Removal
- Door Panel Removal
- Emblem Removal
- Trim Removal
- Rubber Grommet Removal





## Radio Removal Keys (38pcs)

RRK-38

Keys for:

- Clarion
- JVC
- Kenwood
- Panasonic
- Pioneer
- Sony
- Audi
- Becker
- Blaupunkt
- BMW
- Ford
- Grundig
- Mercedes
- Opel
- Porsche
- Skoda
- VW



## Head Unit Removal Keys

EURO-KEY333

Mercedes, Audi, Passat and VW (Jetta-Beetle)

1950-UP (1set / 2pcs)



## Head Unit Removal Keys

RRK-EU7

VW, Audi, Most European (1set / 2pcs)



## Head Unit Removal Keys

RRK-FD4

Head Unit Removal Keys (1set / 2pcs)



## Mercedes Radio

RRK-MB6

Mercedes Radio Removal Keys (3sets / 6pcs)



## General Motors - Double DIN

GM-KEY222DD

Double-Din Head Unit Removal Keys  
(1set / 2pcs)

# SAFETY GLASSES AND RESPIRATORS



## Safety Glasses - Expert Series

### SG-EXPERT

- Strong Lightweight Nylon Frame
- Scratch-Resistant Blue Mirror Poly-Carbonate Lens
- Adjustable Temple Length
- Extra Clear Poly-Carbonate Lenses
- Travelling Hard Case



## Safety Glasses - PRO Series

### SG-PRO

- Nylon Frame
- Scratch-Resistant Blue Mirror PC Lens
- Blister Package



## Safety Glasses - Installer Series

### SG-INST

- Scratch-Resistant Clear Lens
- Blister Package



## Safety Respirator

### PPR-1E

N95 Approved Protection Particulate Respirator with Ear Loop.

### PPR-1EF

N95 Approved Protection Particulate Respirator Filtering Face piece.



